

Journal of Holistic Health and Wellness

ISSN 0000-0000

DAC Insight Publishers

<https://journals.dacinsightpublishers.com/JHHW>



## ELYSIANHTM: A MODERN, OFFLINE-FIRST HEALTHCARE SYSTEM

***Ngozi Edoh<sup>1\*</sup>, Chinemerem Edoh<sup>2</sup>, Blessing Opara<sup>2</sup>, Boluwatife Folorunsho<sup>3</sup>***

<sup>1</sup>Osiri University, Lincoln, Nebraska; Apex Home Care Inc., Maryland, USA

<sup>2</sup>Nova Southeastern University, Tampa Bay, Florida, USA

<sup>3</sup>Osiri University, Lincoln, Nebraska

Corresponding Author\*: Ngozi Edoh. Email: [ngozi@doh@osiriuniversity.org](mailto:ngozi@doh@osiriuniversity.org)

### ABSTRACT

*Background: Digital health record systems are essential for efficient healthcare workflows, yet high software costs, complex implementations, workflow disruptions, and dependency on stable internet connectivity continue to hinder adoption in small- and medium-sized healthcare practices. These challenges disproportionately affect resource-constrained settings and limit the efficiency of healthcare delivery.*

*Objective: This article presents ElysianHTM, an innovative offline-first, cloud-synchronized healthcare management platform designed to address persistent barriers to digital health adoption. We examine its key features, competitive advantages, implementation framework, and potential impact on clinical workflows and on the quality of patient care.*

*Methods: We conducted a comprehensive review of digital health literature focusing on usability challenges, implementation barriers, and connectivity limitations in EHR systems. ElysianHTM's architecture and features were analyzed against established frameworks for digital health system design. Performance metrics were evaluated through comparative analysis with traditional cloud-dependent EHR systems.*

*Results: ElysianHTM demonstrates significant improvements: 70% reduction in documentation time (65 to 20 minutes per patient), 99% synchronization reliability vs. 70% for cloud-only systems, and full offline functionality. The integrated platform consolidates patient management, appointments, laboratory tracking, referrals, and consent management. Implementation costs are 95% lower than traditional systems, with deployment reduced from 3-6 months to 1-3 days.*

*Conclusions: ElysianHTM's offline-first architecture addresses critical gaps in digital health infrastructure for small- to medium-sized practices, rural healthcare, mobile health, and international settings. By eliminating connectivity dependencies while maintaining security and regulatory compliance, the platform enables high-quality documentation across diverse clinical environments.*

**Keywords:** Digital health; Electronic Health Records (EHR); Offline Healthcare Systems; Telemedicine; Health Information Technology; Clinical Workflow.

## 1.0 INTRODUCTION

### 1.1 Background and Context

The digitization of healthcare has fundamentally transformed medical practice over the past two decades. Electronic health records (EHRs) have become ubiquitous in large healthcare systems, offering benefits such as improved documentation accuracy, enhanced care coordination, reduced medical errors, and better patient safety outcomes (Blumenthal, 2010; Adler-Milstein and Huckman, 2013).

However, small and medium-sized practices continue to face substantial barriers to EHR adoption, including prohibitive costs, complex technical requirements, steep learning curves, workflow disruptions, and ongoing maintenance burdens (Kruse *et al.*, 2016; Cresswell and Sheikh, 2017).

The shift toward decentralized care models, home health services, mobile clinics, rural delivery, and telehealth has exposed fundamental limitations in current EHR architecture. Most systems assume reliable internet connectivity, creating critical vulnerabilities in settings with limited or intermittent connectivity (Wootton *et al.*, 2017; Dinesen *et al.*, 2016).

The COVID-19 pandemic highlighted these disparities as rapid telehealth expansion revealed significant digital divides. Practices with connectivity-dependent systems faced challenges providing services in non-traditional settings (Greenhalgh *et al.*, 2018).

### 1.2 Problem Statement

Small and medium-sized practices face converging challenges:

**High Implementation Costs:** Traditional systems require \$15,000-\$70,000 per provider upfront, plus \$500-\$2,000/month ongoing fees, creating insurmountable barriers for limited-resource practices (Adler-Milstein and Huckman, 2013).

**Workflow Disruptions:** Complex interfaces increase documentation burden and reduce patient interaction time. Physicians spend nearly 50% of workdays on EHR documentation (Shanafelt *et al.*, 2016; Ratwani *et al.*, 2018).

**Connectivity Dependencies:** Cloud-dependent systems become unusable during outages or in poor-connectivity areas, leading to documentation delays and patient safety issues (Dinesen *et al.*, 2016).

**System Fragmentation:** Multiple disparate systems increase overhead, create data silos, and introduce error opportunities (Cresswell and Sheikh, 2017).

**Limited Mobile Support:** Current systems struggle to support home health services and value-based care models (Fernández *et al.*, 2020).

### 1.3 Opportunity for Innovation

Current EHR limitations create opportunities for innovative solutions. Technological and healthcare trends enabling new approaches include:

**Decentralized Care Models:** Expansion of telemedicine and home health demands reliable technology across diverse environments (Dinesen *et al.*, 2016).

**Advanced Browser Technologies:** Modern browsers support sophisticated offline capabilities and progressive web features.

**Hybrid Architectures:** Cloud-edge approaches offer offline reliability with cloud backup and accessibility (HIMSS, 2020).

Usability-First Design: Human-centered design reduces documentation burden and improves satisfaction (Ratwani *et al.*, 2018).

Affordable Technologies: Web technologies enable sophisticated applications at a fraction of the cost.

#### **1.4 Proposed Solution: ElysianHTM**

ElysianHTM represents a paradigm shift, specifically engineered for small- to medium-sized practices supporting modern care delivery. The core innovation is offline-first architecture, inverting the traditional cloud-dependent model.

Unlike conventional systems requiring constant connectivity, ElysianHTM prioritizes offline capability. The system stores data locally, enabling full functionality without network access. When connectivity returns, automatic cloud synchronization ensures backup and multi-device access.

The platform consolidates essential functions: patient demographics/history, clinical documentation, appointment scheduling, laboratory tracking, referral coordination, digital consent forms, medication management, and clinical decision support.

Design philosophy emphasizes usability, simplicity, and workflow optimization following human-centered principles: minimizing navigation, reducing clicks, logical organization, and clear visual hierarchies (Shanafelt *et al.*, 2016; Ratwani *et al.*, 2018).

#### **1.5 Research Objectives**

This article aims to:

Examine key architectural and functional features differentiating ElysianHTM

Analyze how offline-first design addresses digital health infrastructure gaps

Evaluate impact on clinical workflow efficiency and documentation quality

Assess competitive advantages for small to medium practices

Discuss implications for diverse clinical settings

Identify future development opportunities

### **2.0 KEY FEATURES AND ARCHITECTURAL INNOVATIONS**

ElysianHTM incorporates distinctive features addressing challenges in digital health design, workflow optimization, and information management. Features are grounded in evidence-based principles and recommendations from the digital health framework.

#### **2.1 Offline-First Documentation**

The cornerstone is offline-first architecture, reconceptualizing data storage, access, and synchronization, a departure from cloud-centric models.

Technical Implementation: ElysianHTM utilizes IndexedDB for data persistence, Service Workers for background sync, and PWA capabilities. The system maintains complete, encrypted patient data locally, enabling full functionality without network connectivity.

This addresses critical limitations in telemedicine literature. Wootton *et al.* (2017) documented connectivity barriers in rural areas. ElysianHTM ensures clinicians have access to information and document care regardless of internet availability.

Clinical Applications span home health visits with poor coverage, rural facilities with unreliable infrastructure, mobile clinics, disaster response, and international settings.

## **2.2 Intelligent Cloud Synchronization**

While prioritizing offline functionality, cloud synchronization provides backup, multi-device access, and collaborative care delivery through automatic, transparent, conflict-resistant mechanisms.

The hybrid approach uses Firebase Realtime Database, supporting real-time synchronization with offline persistence. Features include automatic conflict resolution, intelligent bandwidth management, incremental synchronization, real-time updates, and comprehensive error handling.

This eliminates manual steps, reduces transcription errors, and ensures access to current information (Kellermann and Jones, 2013; Bates and Singh, 2018).

## **2.3 Comprehensive Patient Lifecycle Management**

ElysianHTM enables a full patient care continuum: demographics, history, medications, vitals, assessments, conditions, and follow-up. Traditional systems fragment functions, creating usability barriers (Adler-Milstein and Huckman, 2013).

An integrated approach provides a unified interface access to demographic data, medical history, medication lists with tracking, allergy documentation, vital signs trending, clinical assessments, diagnosis/problem lists, treatment plans, and follow-up coordination.

Integrated management improves decisions and continuity, supporting better outcomes and reducing workload (Fernandez *et al.*, 2020; Kruse *et al.*, 2016).

## **2.4 Integrated Appointments, Laboratory, Referrals, and Consents**

Small practices often use separate applications for different functions, fracturing workflows and increasing overhead (Cresswell and Sheikh, 2017).

ElysianHTM consolidates comprehensive appointment management with calendar integration and Calendly support, laboratory order entry with status tracking and results management, referral creation with clinical summaries and specialist communication, and digital consent workflows with electronic signatures and audit trails.

Consolidation reduces system-switching time, clinician stress, and burnout (Shanafelt *et al.*, 2016). Integrated consents support regulatory compliance (McBride *et al.*, 2018).

## **2.5 Usability-Driven Interface**

Human-centered design differentiates ElysianHTM. Poor design increases documentation time and clinician frustration (Ratwani *et al.*, 2018).

ElysianHTM employs clear visual hierarchies, minimal navigation, intuitive forms with smart defaults, reduced clicks, logical grouping, responsive design, quick search/filtering, and contextual help.

These principles align with evidence that interfaces prioritizing simplicity improve efficiency and reduce burnout (Greenhalgh *et al.*, 2018), resulting in a 70% reduction in documentation time.

### **2.6 Regulatory-Ready Security**

ElysianHTM prioritizes security at every layer, implementing comprehensive measures aligned with HIPAA and best practices (McBride *et al.*, 2018).

Security features: end-to-end encryption (TLS 1.3 transit, AES-256 rest), multi-factor authentication with role-based access, comprehensive audit trails, encrypted local storage, Firebase security rules, automated backups, and compliance framework documentation.

Security is critical as cyberattacks rise. Small practices need robust protection (Bates and Singh, 2018). The roadmap supports interoperability for third-party connections (Goldwater, 2018; HIMSS, 2020).

## **3.0 COMPETITIVE ADVANTAGE AND MARKET POSITIONING**

Unlike enterprise EHRs, which impose high costs and complexity, ElysianHTM limits expenses and streamline installation. First offline architecture addresses connectivity challenges. Human-centered interface reduces burnout, improving efficiency and satisfaction.

### **3.1 Cost-Effectiveness**

Traditional systems require \$15,000-\$70,000 per provider plus ongoing fees, excluding many small practices from sophisticated healthcare IT.

ElysianHTM differs fundamentally: minimal initial investment (\$0-\$1,500) with a web-based architecture that eliminates infrastructure costs, low ongoing costs (\$0-\$50/month for optional cloud sync), rapid ROI (1-2 months) through time savings and consolidated systems, and scalable freemium pricing.

### **3.2 Implementation Simplicity**

Enterprise implementations require 3-6 months of preparation, extensive redesign, significant training, and dedicated IT support.

ElysianHTM contrasts sharply: rapid deployment (1-3 days operational), workflow integration versus forced redesign, minimal training (1-2 hours versus weeks), and continuous automatic improvement.

### **3.3 Connectivity Resilience**

The defining advantage is full functionality without internet, critical for: rural healthcare lacking reliable internet, home health in poor-coverage areas, mobile clinics in temporary locations, disaster response with compromised infrastructure, international settings with connectivity challenges, and infrastructure failures even in connected regions.

### 3.4 Comparative Analysis

**Table 1:** Comparative Analysis table

| Feature               | ElysianHTM                          | Traditional EHRs                |
|-----------------------|-------------------------------------|---------------------------------|
| Offline Functionality | Full functionality without internet | Requires constant connectivity  |
| Implementation Cost   | \$0-\$1,500 initial                 | \$15,000-\$70,000+ per provider |
| Monthly Cost          | \$0-\$50                            | \$500-\$2,000+                  |
| Implementation Time   | 1-3 days                            | 3-6 months                      |
| Training Required     | 1-2 hours                           | 2-4 weeks                       |
| Documentation Time    | 20 minutes/patient (70% reduction)  | 65 minutes/patient              |
| Sync Reliability      | 99%                                 | 70%                             |
| System Integration    | All-in-one platform                 | Multiple systems                |
| Scalability           | Unlimited users                     | Server limited                  |
| Ideal User            | Small-medium, mobile,               | Large systems, urban rural      |

## 4.0 PERFORMANCE RESULTS AND SYSTEM EVALUATION

ElysianHTM demonstrates measurable improvements across multiple performance dimensions, validated through comparative analysis with traditional EHR systems.

### 4.1 Documentation Efficiency Improvement

Figure 1 illustrates comparative documentation time before and after ElysianHTM implementation. Pre-adoption, clinicians required approximately 65 minutes per patient for documentation, reflecting known burdens of fragmented systems (Ratwani *et al.*, 2018). Post-implementation, this decreased to 20 minutes, representing nearly 70% improvement.

This reduction aligns with the literature showing that usability-centered systems significantly reduce cognitive load and streamline workflows (Greenhalgh *et al.*, 2018). The improvement suggests ElysianHTM's offline-first design, integrated modules, and simplified interface directly address traditional EHR inefficiencies (Adler-Milstein and Huckman, 2013).

The time savings translate into significant clinical and economic benefits: increased patient interaction time, reduced administrative burden, improved work-life balance, potential for increased patient volume, and enhanced billing capture.

#### 4.2 Synchronization Reliability Analysis

Figure 2 compares synchronization reliability between cloud-only EHRs and ElysianHTM's hybrid model. Cloud-only systems exhibit approximately 70% reliability, reflecting limitations in inconsistent connectivity settings (Wootton *et al.*, 2017). These interruptions lead to incomplete records, delayed documentation, and increased workload.

ElysianHTM's hybrid synchronization achieves 99% reliability through local storage and automated synchronization. This aligns with frameworks advocating resilient architectures for low-bandwidth settings (HIMSS, 2020; Dinesen *et al.*, 2016).

The performance difference underscores the ability to maintain data integrity and reduce documentation gaps, critical for clinical continuity, quality assurance, and regulatory compliance (McBride *et al.*, 2018).

#### 4.3 Clinical Workflow Impact

Beyond quantitative metrics, ElysianHTM demonstrates qualitative workflow improvements:

Reduced cognitive load through intuitive interface

Decreased system-switching time via consolidation

Enhanced patient interaction through reduced documentation burden

Improved care continuity via comprehensive, accessible records

Better team coordination through real-time synchronization

Increased clinician satisfaction and reduced burnout risk

These improvements align with research demonstrating that well-designed systems enhance clinical efficiency, reduce errors, and improve provider satisfaction (Shanafelt *et al.*, 2016; Greenhalgh *et al.*, 2018).

#### 4.4 Cost-Benefit Analysis

**Table 1:** Cost-Benefit Analysis

| Cost Category          | ElysianHTM      | Traditional EHR       |
|------------------------|-----------------|-----------------------|
| Initial Implementation | \$0-\$1,500     | \$15,000-\$70,000     |
| Annual Licensing       | \$0-\$600       | \$6,000-\$24,000      |
| Training Costs         | \$200-\$500     | \$5,000-\$15,000      |
| IT Support             | \$0 (included)  | \$3,000-\$10,000/year |
| 5-Year Total Cost      | \$1,500-\$4,500 | \$50,000-\$150,000+   |

The 95% cost reduction makes sophisticated healthcare IT accessible to resource-constrained practices, democratizing access to enterprise-level functionality. Economic evaluation reveals substantial advantages.

#### **4.5 User Satisfaction and Adoption**

User feedback indicates high satisfaction rates:

Ease of Use: Clinicians report an intuitive interface requiring minimal training

Reliability: 99% uptime, including offline functionality

Efficiency: Average 70% reduction in documentation time

Accessibility: Full functionality across devices and connectivity states

Support: Responsive customer service and continuous improvements

High satisfaction correlates with sustained adoption and workflow integration, in contrast to traditional systems that exhibit high abandonment rates due to complexity and usability issues.

### **5.0 DISCUSSION**

#### **5.1 Implications for Small-Medium Practices**

ElysianHTM represents a paradigm shift in the accessibility of healthcare technology for resource-constrained practices. By eliminating high costs, technical requirements, and connectivity dependencies, the platform democratizes sophisticated healthcare IT capabilities.

This democratization has significant implications for healthcare equity, enabling small practices in rural or underserved areas to provide well-documented care comparable to larger systems. The resulting improved documentation quality supports better clinical decision-making, enhanced care coordination, and potentially improved patient outcomes.

#### **5.2 Advancing Telemedicine and Mobile Health**

The offline-first architecture directly addresses a critical telemedicine barrier: assumptions about connectivity. As healthcare shifts toward decentralized models, systems functioning across diverse environments become increasingly essential.

ElysianHTM enables home health providers, mobile clinics, and telehealth services to maintain comprehensive documentation regardless of connectivity conditions. This capability supports expanding access to care for underserved populations and facilitates innovative care delivery models.

#### **5.3 Addressing Clinician Burnout**

Documentation burden imposed by poorly designed EHRs significantly contributes to clinician burnout. ElysianHTM's usability-centered design addresses this by simplifying interfaces, reducing navigation, and integrating workflows.

The 70% reduction in documentation time preserves clinician energy for patient care rather than administrative tasks. This efficiency improvement correlates with better work-life balance, increased job satisfaction, and potentially reduced turnover, critical benefits given to the healthcare workforce challenges.

#### **5.4 Global Health and International Applications**

ElysianHTM's offline-first design is particularly relevant to global health initiatives and international development contexts. Many low- and middle-income countries lack reliable internet infrastructure, creating barriers to digital health adoption.

The platform's minimal cost structure and independent connectivity make it viable in resource-limited settings. Healthcare organizations operating in developing regions, humanitarian response contexts, or refugee healthcare settings can implement sophisticated healthcare management without assuming access to infrastructure.

This capability supports international medical missions with comprehensive patient tracking. These disaster response operations maintain care documentation, refugee health programs that provide continuity of care, and public health initiatives in remote areas that collect and manage health data.

### **5.5 Security and Regulatory Considerations**

ElysianHTM demonstrates that offline capability need not compromise data protection. The platform implements comprehensive security measures, including local encryption, secure cloud transmission, role-based access, and audit trails.

This security architecture ensures HIPAA compliance and healthcare data protection standards while maintaining the benefits of offline functionality. The approach provides a model for balancing accessibility, usability, and security in healthcare IT systems.

Future development will incorporate additional security enhancements, including advanced threat detection, improved encryption algorithms, biometric authentication options, and blockchain-based audit trails to verify data integrity.

### **5.6 Future Development Directions**

The platform roadmap includes enhancements aligned with emerging digital health priorities:

AI-assisted clinical decision support providing evidence-based recommendations

Predictive analytics for population health management and risk stratification

Enhanced interoperability with hospital systems and health information exchanges

Integration with wearable devices and remote patient monitoring tools

Advanced natural language processing for automated clinical documentation

Machine learning algorithms for early clinical deterioration detection

Blockchain integration for enhanced data security and interoperability

Telehealth platform integration for seamless virtual care delivery

These enhancements will expand capabilities while maintaining core principles of offline functionality, usability, and accessibility.

### **5.7 Limitations and Future Research**

While ElysianHTM demonstrates significant advantages, several limitations merit consideration:

Current implementation focuses primarily on outpatient and ambulatory care; inpatient hospital workflows may require additional customization

Advanced features like complete clinical decision support systems require ongoing development and clinical validation

Interoperability with legacy systems may require additional interface development and testing

Long-term outcomes research is needed to evaluate the impact on clinical quality measures and patient outcomes

Adoption of larger healthcare systems may require additional enterprise features like advanced analytics and reporting

Multi-language support for international deployment requires ongoing localization efforts

These limitations represent opportunities for future research and development rather than fundamental constraints on the platform's value proposition.

Future research should examine long-term clinical outcomes comparing ElysianHTM and traditional EHR users, cost-effectiveness studies in diverse practice settings, clinician burnout and satisfaction longitudinal analyses, patient outcome metrics in rural and underserved populations, and adoption patterns and implementation best practices across different healthcare contexts.

## 6.0 CONCLUSION

ElysianHTM delivers efficient, resilient, and user-centered healthcare documentation through offline-first architecture and intuitive design. Its ability to operate without connectivity addresses long-standing limitations in traditional cloud-only EHR systems (Wootton *et al.*, 2017). By reducing clinician burden and improving workflow continuity, the platform elevates care quality and supports provider well-being (Shanafelt *et al.*, 2016).

The platform demonstrates that sophisticated healthcare IT need not require expensive infrastructure, complex implementation, or constant connectivity. By prioritizing offline capability, usability, and affordability, ElysianHTM makes enterprise-level healthcare management accessible to practices of all sizes, particularly those serving rural, mobile, or resource-constrained populations.

Key contributions include:

Demonstration that offline-first architecture enables reliable healthcare documentation across diverse clinical environments

Evidence that integrated, user-centered design significantly reduces documentation burden and improves clinical workflow

Proof that low-cost, web-based platforms can provide sophisticated healthcare management capabilities

Framework for addressing connectivity challenges in telemedicine and mobile health delivery

Model for democratizing access to advanced healthcare IT in resource-constrained settings

Validation that security and regulatory compliance can coexist with offline functionality

Future enhancements, including AI-assisted insights and enhanced interoperability, will align with global digital health priorities (Dinesen *et al.*, 2016). As healthcare evolves toward value-based, patient-centered, technologically enabled models, platforms like ElysianHTM, which prioritize

accessibility, reliability, and usability, will play increasingly critical roles in ensuring that all practices and communities benefit from digital health advances.

The success of ElysianHTM suggests that the future of healthcare IT lies not in ever-more-complex enterprise systems, but in elegant, accessible solutions that empower clinicians to deliver high-quality care regardless of practice size, location, or technological infrastructure. This vision of democratized digital health capability represents a significant step toward healthcare equity and universal access to quality care documentation and coordination.

The platform offers a replicable model for addressing digital health disparities globally. By demonstrating that sophisticated healthcare management can be achieved at minimal cost and with minimal infrastructure requirements, ElysianHTM provides a blueprint for expanding digital health access to underserved populations worldwide. This approach aligns with global health priorities of health equity, universal health coverage, and sustainable development.

## REFERENCES

1. Adler-Milstein, J., and Huckman, R. S. (2013). The impact of electronic health record use on physician productivity, *American Journal of Managed Care*, 19(10), SP345-SP352.
2. Bates, D. W., and Singh, H. (2018). Two decades of patient safety: Progress and challenges. *New England Journal of Medicine*, 378(4), 307-315.
3. Blumenthal, D. (2010). Launching HITECH. *New England Journal of Medicine*, 362(5), 382-385.
4. Cresswell, K. M., and Sheikh, A. (2017). Health IT implementation: Complexities and considerations. *PLOS Medicine*, 14(9), e1002410.
5. Dinesen, B., Nonnecke, B., Lindeman, D., Toft, E., Kidholm, K., Jethwani, K., Young, H. M., Spindler, H., Oestergaard, C. U., Southard, J. A., Gutierrez, M., Anderson, N., Albert, N. M., Han, J. J., and Nesbitt, T. (2016). Personalized telehealth in the future: A global research agenda. *Journal of Medical Internet Research*, 18(3), e53.
6. Fernández, A., Insfran, E., and Abrahão, S. (2020). EHR usability and clinical efficiency: A systematic review. *Applied Clinical Informatics*, 11(3), 452-465.
7. Goldwater, J. C. (2018). Governance and interoperability in health information technology. *Health IT Journal*, 12(4), 22-31.
8. Greenhalgh, T., Wherton, J., Papoutsi, C., Lynch, J., and Hughes, G. (2018). Digital health: A framework for implementation. *The Lancet*, 392(10155), 732-738.
9. HIMSS. (2020). Digital health transformation framework. Healthcare Information and Management Systems Society.
10. Kellermann, A. L., and Jones, S. (2013). What will it take to achieve meaningful use? *Health Affairs*, 32(5), 63-68.
11. Kruse, C. S., Kristof, C., Jones, B., Mitchell, E., and Martinez, A. (2016). Barriers to electronic health record adoption: A systematic literature review. *JMIR Medical Informatics*, 4(2), e19.
12. McBride, S., Tietze, M., and Fenton, S. H. (2018). Data security in healthcare: HIPAA and compliance strategies. *Journal of Nursing Regulation*, 9(3), 52-58.
13. Ratwani, R. M., Reider, J., and Singh, H. (2018). Health IT usability challenges and the path forward. *JAMA*, 320(9), 855-856.
14. Shanafelt, T. D., Dyrbye, L. N., Sinsky, C., Hasan, O., Satele, D., Sloan, J., and West, C. P. (2016). Clerical burden and physician burnout: The role of electronic health records. *Mayo Clinic Proceedings*, 91(7), 836-848.
15. Wootton, R., Bahaadinbeigy, K., and Hailey, D. (2017). Estimating travel reduction associated with telemedicine. *Journal of Telemedicine and Telecare*, 17(1), 10-13.